IEC 60317-0-1

Edition 4.2 2026-08

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

Specifications for particular types of winding wires -
Part 0-1: General requirements - Enamelled round copper wire

ICS 29.060.10

ISBN 978-2-8327-1469-0

IEC 60317-0-1:2013-10+AMD1:2019-08+AMD2:2026-08 CSV(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 3
INTRODUCTION 5
1 Scope 6
2 Normative references 6
3 Terms, definitions, general notes and appearance 6
3.1 Terms and definitions 6
3.2 General notes 7
3.2.1 Methods of test 7
3.2.2 Winding wire 8
3.3 Appearance 8
4 Dimensions 8
4.1 Conductor diameter 8
4.2 Out of roundness of conductor (nominal conductor diameters over 0,063 mm) 12
4.3 Minimum increase in diameter due to the insulation and the bonding layer (nominal conductor diameters over 0,063 mm) 12
4.3.1 Enamelled wires without a bonding layer 12
4.3.2 Enamelled wires with a bonding layer 12
4.3.3 Intermediate nominal conductor diameters 12
4.4 Maximum overall diameter 12
4.4.1 Enamelled wires without a bonding layer 12
4.4.2 Enamelled wires with a bonding layer 13
5 Electrical resistance 13
6 Elongation 14
7 Springiness 14
7.1 Nominal conductor diameters from 0,080 mm up to and including 1,600 mm 14
7.2 Nominal conductor diameters over 1,600 mm 14
8 Flexibility and adherence 16
8.1 Mandrel winding test (nominal conductor diameters up to and including 1,600 mm) 16
8.2 Stretching test (nominal conductor diameters over 1,600 mm) 16
8.3 Jerk test (nominal conductor diameters up to and including 1,000 mm) 16
8.4 Peel test (nominal conductor diameters over 1,000 mm) 16
9 Heat shock 17
9.1 Nominal conductor diameters up to and including 1,600 mm 17
9.2 Nominal conductor diameters over 1,600 mm 17
10 Cut-through 18
11 Resistance to abrasion 18
12 Resistance to solvents 18
13 Breakdown voltage 18
13.1 General 18
13.2 Nominal conductor diameters up to and including ~~0,100~~ 0,500 mm 18
13.3 Nominal conductor diameters over 0,100 mm up to and including 2,500 mm 20
13.4 Nominal conductor diameters over 2,500 mm 22

14 Continuity of insulation (nominal conductor diameters up to and including 1,600 mm) 23
15 Temperature index 23
16 Resistance to refrigerants 23
17 Solderability 23
18 Heat or solvent bonding 23
19 Dielectric dissipation factor 23
20 Resistance to transformer oil 23
21 Loss of mass 23
23 Pin hole test 24
30 Packaging 24
Annex A (informative) Dimensions for intermediate nominal conductor diameters (R 40) 25
Annex B (~~informative~~ normative) Method for the calculation of linear resistance 29
Annex C (informative) Resistance 31
Bibliography 34

Table 1 – Dimensions of enamelled wires (R 20) – Preferred nominal conductor diameters *(1 of 2)* 9
Table 2 – Dimensions of enamelled wires with a bonding layer (R 20) – Preferred nominal conductor diameters *(1 of 2)* 11
Table 3 – Electrical resistance 13
Table 4 – Elongation 14
Table 5 – Springiness 15
Table 6 – Mandrel winding 16
Table 7 – Heat shock 17
Table 8 – Breakdown voltage – Preferred nominal conductor diameters (R 20) (0,018 mm up to and including ~~0,100~~ 0,500 mm) 19
Table 9 – Breakdown voltage – Intermediate nominal conductor diameters (R 40) (0,019 mm up to and including ~~0,095~~ 0,475 mm) 20
Table 10 – Breakdown voltage – Preferred nominal conductor diameters (R 20) (0,112 mm up to and including 2,500 mm) 21
Table 11 – Breakdown voltage – Intermediate nominal conductor diameters (R 40) (0,106 mm up to and including 0,950 mm) 22
Table 12 – Breakdown voltage – Nominal conductor diameters over 2,500 mm 22
Table 13 – Continuity of insulation 23
Table 14 – Maximum number of pin holes 24
Table A.1 – Dimensions of enamelled wires (R 40) – Intermediate nominal conductor diameters *(1 of 2)* 25
Table A.2 – Dimensions of enamelled wires with a bonding layer (R 40) – Intermediate nominal conductor diameters *(1 of 2)* 27
Table B.1 – Ratios 30
Table C.1 – Electrical resistances – Nominal conductor diameters over ~~0,063~~ 0,280 mm up to and including ~~1,000~~ 5,000 mm 33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 0-1: General requirements – Enamelled round copper wire

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60317-0-1 edition 4.2 contains the fourth edition (2023-10) [documents 55/1409/FDIS and 55/1430/RVD], its amendment 1 (2019-08) [documents 55/1782/FDIS and 55/1799/RVD] and its amendment 2 (2026-08) [documents 55/2088/FDIS and 55/2115/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60317-0-1 has been prepared by IEC technical committee 55: Winding wires.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

– revision to the definition of nominal conductor dimension;
– new subclause containing general notes on winding wire, formerly a part of the scope;
– revision to elongation requirements in Table 4;
– revisions to Clause 13, Breakdown voltage, to include new requirements for intermediate wire diameters;
– revision to continuity of insulation requirements in Table 13;
– revision to the introduction of Annex A;
– revision to B.2 of Annex B;
– revision to Table C.1 of Annex C.

This standard is to be read in conjunction with the IEC 60851 series. The clause numbers used in this part of IEC 60317 are identical with the respective test numbers of the IEC 60851 series.

In case of inconsistencies between IEC 60851 and this part of IEC 60317, the latter prevails.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

1) Winding wires – Test methods (IEC 60851);
2) Specifications for particular types of winding wires (IEC 60317);
3) Packaging of winding wires (IEC 60264).

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 0-1: General requirements – Enamelled round copper wire

1 Scope

This part of IEC 60317 specifies general requirements of enamelled round copper winding wires with or without bonding layer.

The range of nominal conductor diameters is given in the relevant specification sheet.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60172, *Test procedure for the determination of the temperature index of enamelled winding wires*

IEC 60851 (all parts), *Winding wires – Test methods*

ISO 3, *Preferred numbers – Series of preferred numbers*

ISO 1190-1, *Copper and copper alloys – Code of designation – Part 1: Designation of materials*

ASTM B49-17, *Standard Specification for Copper Rod for Electrical Purposes*

EN 1977:2013, *Copper and copper alloys – Copper drawing stock (wire rod)*

CONTENTS

FOREWORD 3
INTRODUCTION 5
1 Scope 6
2 Normative references 6
3 Terms, definitions, general notes and appearance 6
3.1 Terms and definitions 6
3.2 General notes 7
3.2.1 Methods of test 7
3.2.2 Winding wire 8
3.3 Appearance 8
4 Dimensions 8
4.1 Conductor diameter 8
4.2 Out of roundness of conductor (nominal conductor diameters over 0,063 mm) 12
4.3 Minimum increase in diameter due to the insulation and the bonding layer (nominal conductor diameters over 0,063 mm) 12
4.3.1 Enamelled wires without a bonding layer 12
4.3.2 Enamelled wires with a bonding layer 12
4.3.3 Intermediate nominal conductor diameters 12
4.4 Maximum overall diameter 12
4.4.1 Enamelled wires without a bonding layer 12
4.4.2 Enamelled wires with a bonding layer 13
5 Electrical resistance 13
6 Elongation 14
7 Springiness 14
7.1 Nominal conductor diameters from 0,080 mm up to and including 1,600 mm 14
7.2 Nominal conductor diameters over 1,600 mm 14
8 Flexibility and adherence 16
8.1 Mandrel winding test (nominal conductor diameters up to and including 1,600 mm) 16
8.2 Stretching test (nominal conductor diameters over 1,600 mm) 16
8.3 Jerk test (nominal conductor diameters up to and including 1,000 mm) 16
8.4 Peel test (nominal conductor diameters over 1,000 mm) 16
9 Heat shock 17
9.1 Nominal conductor diameters up to and including 1,600 mm 17
9.2 Nominal conductor diameters over 1,600 mm 17
10 Cut-through 18
11 Resistance to abrasion 18
12 Resistance to solvents 18
13 Breakdown voltage 18
13.1 General 18
13.2 Nominal conductor diameters up to and including 0,100 mm 18
13.3 Nominal conductor diameters over 0,100 mm up to and including 2,500 mm 20
13.4 Nominal conductor diameters over 2,500 mm 22

14 Continuity of insulation (nominal conductor diameters up to and including 1,600 mm) 23
15 Temperature index 23
16 Resistance to refrigerants 23
17 Solderability 23
18 Heat or solvent bonding 23
19 Dielectric dissipation factor 23
20 Resistance to transformer oil 23
21 Loss of mass 23
23 Pin hole test 24
30 Packaging 24
Annex A (informative) Dimensions for intermediate nominal conductor diameters (R 40) 25
Annex B (normative) Method for the calculation of linear resistance 29
Annex C (informative) Resistance 31
Bibliography 32

Table 1 – Dimensions of enamelled wires (R 20) – Preferred nominal conductor diameters *(1 of 2)* 9
Table 2 – Dimensions of enamelled wires with a bonding layer (R 20) – Preferred nominal conductor diameters *(1 of 2)* 11
Table 3 – Electrical resistance 13
Table 4 – Elongation 14
Table 5 – Springiness 15
Table 6 – Mandrel winding 16
Table 7 – Heat shock 17
Table 8 – Breakdown voltage – Preferred nominal conductor diameters (R 20) (0,018 mm up to and including 0,100 mm) 19
Table 9 – Breakdown voltage – Intermediate nominal conductor diameters (R 40) (0,019 mm up to and including 0,095 mm) 19
Table 10 – Breakdown voltage – Preferred nominal conductor diameters (R 20) (0,112 mm up to and including 2,500 mm) 21
Table 11 – Breakdown voltage – Intermediate nominal conductor diameters (R 40) (0,106 mm up to and including 0,950 mm) 22
Table 12 – Breakdown voltage – Nominal conductor diameters over 2,500 mm 22
Table 13 – Continuity of insulation 23
Table 14 – Maximum number of pin holes 24
Table A.1 – Dimensions of enamelled wires (R 40) – Intermediate nominal conductor diameters *(1 of 2)* 25
Table A.2 – Dimensions of enamelled wires with a bonding layer (R 40) – Intermediate nominal conductor diameters *(1 of 2)* 27
Table B.1 – Ratios 30
Table C.1 – Electrical resistances – Nominal conductor diameters over 0,063 mm up to and including 1,000 mm *(1 of 2)* 31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 0-1: General requirements – Enamelled round copper wire

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60317-0-1 edition 4.2 contains the fourth edition (2023-10) [documents 55/1409/FDIS and 55/1430/RVD], its amendment 1 (2019-08) [documents 55/1782/FDIS and 55/1799/RVD] and its amendment 2 (2026-08) [documents 55/2088/FDIS and 55/2115/RVD].

This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60317-0-1 has been prepared by IEC technical committee 55: Winding wires.

This fourth edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

– revision to the definition of nominal conductor dimension;
– new subclause containing general notes on winding wire, formerly a part of the scope;
– revision to elongation requirements in Table 4;
– revisions to Clause 13, Breakdown voltage, to include new requirements for intermediate wire diameters;
– revision to continuity of insulation requirements in Table 13;
– revision to the introduction of Annex A;
– revision to B.2 of Annex B;
– revision to Table C.1 of Annex C.

This standard is to be read in conjunction with the IEC 60851 series. The clause numbers used in this part of IEC 60317 are identical with the respective test numbers of the IEC 60851 series.

In case of inconsistencies between IEC 60851 and this part of IEC 60317, the latter prevails.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

1) Winding wires – Test methods (IEC 60851);
2) Specifications for particular types of winding wires (IEC 60317);
3) Packaging of winding wires (IEC 60264).

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 0-1: General requirements – Enamelled round copper wire

1 Scope

This part of IEC 60317 specifies general requirements of enamelled round copper winding wires with or without bonding layer.

The range of nominal conductor diameters is given in the relevant specification sheet.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60172, *Test procedure for the determination of the temperature index of enamelled winding wires*

IEC 60851 (all parts), *Winding wires – Test methods*

ISO 3, *Preferred numbers – Series of preferred numbers*

ISO 1190-1, *Copper and copper alloys – Code of designation – Part 1: Designation of materials*

ASTM B49-17, *Standard Specification for Copper Rod for Electrical Purposes*

EN 1977:2013, *Copper and copper alloys – Copper drawing stock (wire rod)*